


PRESTIGE GARAGE DOORS











EFFECTIVE THERMAL INSULATION

Energy efficiency of **Prestige** doors is equal to a 60cm brick wall, that provides a comfortable temperature in the garage throughout the year.




PERFECT SEALING

Frost resistant sealings with two elastic wings ensures better thermal insulation of the opening around the door perimeter and protects the premises from precipitation, draft and dust.



HIGH WIND LOAD RESISTANCE

Test results show that **Prestige** doors can withstand even hurricane winds of 120 km/h speed.





RELIABLE SAFETY

Prestige doors comply with the requirements of international safety standards: EN 12604, EN 12453, EN 12424, EN 12425, EN 12426. All the protection mechanisms are provided in a standard set.



10 YEARS WARRANTY

10 years warranty against perforated corrosion is provided for the door leaf and stainless steel elements of the **Prestige** door.



DURABLE OPERATION

Steel sheets in ALUTECH sandwich panels are interlocked and have a closed contour. This design ensures protection against delamination during abrupt door opening/closing and overheating under the sun and extends the doors operational life expectancy.

ENERGY-EFFICIENCY ECONOMY ON HEATING

Prestige doors have advanced thermal insulation, greater durability and corrosion resistance. The doors are the best solution for operation in premises with high humidity and in regions with rigorous climate.



When you choose energy efficient technologies, you save your means and natural resources, thus taking care about future generations.

Go Green With ALUTECH


Environmental Product Declaration




Declaration Code: EPD-SMD-GB-35.0











LONG TERM OPERATION PROFITABLE INVESTMENT FOR MANY YEARS

Prestige doors work smoothly during the whole period of operation, thus saving time and money on repairs whilst maintaining the aesthetics.



MAXIMUM PROTECTION & COMFORT

EASE & CONVENIENCE EVERY DAY


Prestige doors operate smoothly and silently, without disturbing the peace and quiet of your family.














SAFETY FOR THE WHOLE FAMILY COMPLIANCE WITH EUROPEAN STANDARDS

Prestige doors comply with the requirements of European standards EN 12604, EN 12453, EN 12424, EN 12425, EN 12426. All the protective mechanisms are already provided with the standard set.



HIGH-QUALITY PRODUCT

THREE LAYER COATING OF SANDWICH-PANELS





Three-layer coating ensures doors high resistance to corrosion:

- Zinc coating 16 microns.
- Polyurethane primer coating 14-16 microns.
- Decorative coating PUR-PA 20-25 microns.

Coating PUR-PA (polyurethane coating modified with polyamide particles) has high resistance to the following factors:


- Scratches and scuffs.
- Negative impact of environment and household detergents.
- Temperature and humidity fluctuations.

Special adhesive varnish reliably couples panel steel sheets with insulant, that prevents sandwich panels from delamination because of solar heating.

Four layers of metal in places of self-tapping screws positioning ensure high durability: panels remain undamaged even in case of abrupt doors closing.










FUNCTIONAL SOLUTIONS EXTRA ACCESSORIES AND OPTIONS

Set of additional solutions for **Prestige** garage doors make them even more functional and convenient in operation.



STYLISH DESIGN


WIDE RANGE OF PATTERNS AND COLOURS

When you choose **Prestige** products you can be sure that your door will be customized according to your personal preference and exceptional in the style you prefer.

The doors are manufactured individually for each opening with 5 mm increment in height and width without extra charge.









VARIATY OF SOLUTIONS

PORTFOLIO OF TEXTURES AND PRINTS FOR STYLISH DOORS

With digital printing, we can apply any image on the door leaf making it a vibrant center piece to the exterior. There are millions of options!



WOOD DESIGN



White oak



Desert oak



Mountain pine



Oregon



Irish oak



Light winchester



Light oak



Rustic cherry



Anteak



Walnut



Swamp oak



Rustic oak



Mahogany



Dark winchester



Dark Siena




Light Siena



Wenge Classic



Wenge Modern



NATURAL STONE DESIGN



Breccia Damascata



Daino Reale





Emperador Light



Platino Dark



EXTRA

DESIGN

Grey concrete



Dark concrete



Celebrity



Maroon Marinace



Delicatus Gold



Sagitario Granite



Copper sheet



Aged brick



Juparana Bordeaux



Emperador Dark



Verde Fantastico



Bidasar Brown



Red Brick



Light slate

EXCELLENT PRINTING QUALITY

We use high quality UV-ink from European manufacturers. During photo polymerization a special layer is created on the sandwich panel, and due to this layer the ink does not soak into the panel.

CLEAR PICTURE

The image applied on the doors boasts maximum sharpness. Even minute details of the image will be clear after print is applied to the door leaf.

RESISTANCE TO ULTRAVIOLET LIGHT

Digital lacquer protects image from ultraviolet rays. to maintain the image through years of operation.

PROTECTION AGAINST BAD WEATHER

The materials used for printing the images are resistant to temperature drop and humidity level variations. The doors with digital print may be operated in any region.

RESISTANCE TO MECHANICAL IMPACT

Due to special protective lacquer made in Europe, the panel surface is resistant to scratches and other mechanical impact.

SHORT TERMS OF PRODUCTION

Technical parameters of the printer allow to complete orders on individual printing within 5-7 days.





INDIVIDUAL DESIGNS

PRINTING ON THE DOOR LEAF

We have implemented a unique possibility to create an individual door pattern by using digital printing applied to a **Prestige** door leaf.

Unique textures of fine wood, a collection of images with natural stone textures, a variety of theme prints – the design possibilities are endless.

Polyurethane lacquer

UV printing ink

PUR-PA coating **20–25 mcm**

Polyurethane primer 14-16 mcm

Zinc 16 mcm

Steel **0,4 mm**





Built in LED lighting.

Operability

In wide voltage range (160-270 V).

Life-time is at least 30 000 cycles,

What corresponds to 20 years of everyday operation.

Broad applicability:

For the doors up to $18,6 \text{ m}^2$.

High speed of doors opening:

Up to 20 cm/sec.

Control without electric power:


With external battery backup.

Built-in safety system:

Door leaf will be stopped automatically if meet an obstacle on the way.


Yard territory lighting control:

With remote control.



AUTOMATED CONTROL SMART SOLUTIONS FOR COMFORTABLE LIFE

The **Levigato** with built in LED lighting is a cooperative development of ALUTECH Group of Companies specialists and leading European designers for even more functional and comfortable door control.





GARAGE DOORS PRESTIGE STRENGTH OF YOUR HOME



ALUTECH Group of Companies approach the issue of comfort comprehensively and offer a wide range of solutions for your comfort and safety.

Automation Systems

Garage door automation systems.



Roller shutters systems

Roller shutters systems for window-door openings.



Aluminium profile systems

for window-door openings.



ALUTECH Group of Companies holds leading positions on the roller shutters systems and sectional doors markets in Western and Eastern Europe, and is a leading manufacturer of aluminium profile systems in CIS region. The holding consists of 5 manufacturing enterprises and more than 20 sales companies in CIS and Europe.

All the enterprises of the Company are equipped with high-technology equipment, which includes:

- aluminium and steel coils coating and cutting complex;
- roll-forming lines;
- automated die-casting complexes;
- door leaf and sandwich panels production lines for sectional doors;
- automated storage and products sorting systems;
- casting complex for aluminium ingots production;
- aluminium extruded profiles production lines;
- horizontal and vertical powder coating lines;
- CIS largest complex for anodizing of aluminium profiles.

Due to the own production complexes within the company specialists of ALUTECH Group are able to control the quality of the products at all the stages of industrial process: from project development and purchase of raw materials to creating of finished products and their packing. The quality management system of all enterprises has been certified in compliance with the requirements of ISO 9001 and ISO 14001 international standards.

ALUTECH Group of Companies regularly expand its product range with new technological solutions taking into account market demands. Therefore, holding's assortment includes not only protective systems, but also docking equipment for storage and logistic centers effective operation (dock shelters, dock levellers, dock houses and loading platforms), automation systems for sectional doors and entrance gates as well as operators with internal receiver for roller-shutters systems.

ALUTECH products are installed on millions of sites and supplied to more than 65 countries of CIS, Europe, Asia, Africa, North America and Australia.





JD (UK) Limited

Ravensthorpe Industrial Estate, Low Mill Lane, Havelock Street, Ravensthorpe, Dewsbury WF13 3LN T: 01924 472924 E: sales@jdukltd.co.uk W: www.jdukltd.co.uk





MutechL Alutech Garage Doors in JD UK LTD











