

Insulated Side Hinged Garage Doors



Style, Quality
& Great Value



JANUARY 2024



Insulated Side Hinged Garage Doors

UK
CA ISO
9001

All Fort Doors products are UKCA marked and built within our audited ISO 9001 quality systems

Fort's range of insulated side hinged garage doors is proudly designed and built at our production facility in Birmingham.

Every detail has been carefully considered and designed to make a stand-out door. We form complete door panels at our factory for perfect looks, proportions and performance, inside and out.

Dual steel skins bonded to a thermal core create 20mm thick insulated panels. Panels are mounted in specially extruded aluminium surrounds and completed with an aluminium frame. All components are precision machined for the ideal combination of high-grade engineering, great performance and stunning good looks.

UKCA marked and manufactured under our ISO 9001 quality systems, you can be sure of safety, reliability and quality.


Explore the range of elegant door designs, clever features and custom options here!



Chartwell Green

U-Value
2.8 W/m²K

At 2.8 (based on a 2250mm x 2040mm door), the Fort insulated door compares favourably to some types of double-glazed windows.



As standard, every door has a robust handle, latch and deadlock with an adjustable keep for precise latching and an internal thumb turn for effortless operation.



Double seals to the door leaf and frame help protect against the weather and limit dust and debris entering your garage.



A gasket between the door leaf frame and insulated panel further helps seal the door against the elements.



The colour matched hinges are adjustable in 3 directions, allowing for easy alignment of the leaves, should it be required.



Concealed shoot bolts at the top and bottom of the inactive leaf hold the door securely in place. The adjustable keeps allow for easy alignment of the leaf position for a precise fit.



For an added level of security, 3-point locking with twin hook locks, is available as an option. (Minimum over-frame height 2040mm)



Stainless steel pull handles are a sleek alternative to the standard lever handle and are supplied with a ball catch and deadlock.



Anthracite Grey

Horizontal Wide Rib



Light Grey

Horizontal Medium Rib
with 1600mm pull bars
(1200mm also available)



Light Ivory

Vertical Wide Rib



Gentian Blue

Vertical Medium Rib



Moss Green

Solid
with 1600mm pull bars
(1200mm also available)



Grey White

Traditional Glazing



Doors have a very neat, flat
inner face, free from joints.



The paint
finish is a
highly-durable
powdercoat
ripple texture
that gives an
attractive finish
with excellent
resilience.

Doors are available in a classic ripple
-textured finish in the solid colours
shown below:

Colour Options

| | | | |
|-------------------------------|---------------------------|--------------------------|----------------------------|
| | | | |
| Signal White RAL9003 | Grey White RAL9002 | Pebble Grey RAL7032 | Dusty Grey RAL7037 |
| | | | |
| Traffic Grey RAL7042 | Light Grey RAL7035 | Window Grey RAL7040 | Silver Grey RAL7001 |
| | | | |
| Iron Grey RAL7011 | Slate Grey RAL7015 | Graphite Grey RAL7024 | Anthracite Grey RAL7016 |
| | | | |
| Black Grey RAL7021 | Jet Black RAL9005 | Steel Blue RAL5011 | Cobalt Blue RAL5013 |
| | | | |
| Gentian Blue RAL5010 | Signal Blue RAL5005 | Light Blue RAL5012 | Moss Green RAL6005 |
| | | | |
| Chartwell Green BS 14 C 35 | Ruby Red RAL3003 | Traffic Red RAL3020 | Chocolate Brown RAL8017 |
| | | | |
| Clay Brown RAL8003 | Mahogany Brown RAL8016 | Light Ivory RAL1015 | Cream RAL9001 |

Handle Finish Options

Doors have a Chrome
handle as standard
and are also available
with the finish options
shown below:





Matching side doors are also available for all double leaf garage doors.

Doors are also available with over panels and side panels. Panels can be glazed or solid, dependent on your requirements - ask for more details.



WARRANTY

A warranty covering the safe and reliable operation of the Fort Doors garage door for a period of 5 years from the date of purchase is given to the original purchaser, this warranty is for help and advice on the safety and reliability of the product and identifying parts and consumables in the event of a failure.

Terms, conditions and exclusions apply visit www.fortdoors.co.uk for full details

The standard guarantee of 2 years is given to the holder of the product that covers all parts and the panel providing the serial number is readable, intact and in place. Factory applied paint finishes are 2 years on steel doors that have standard colours applied, special nonstandard colours are excluded.

Fort Doors, Unit 19, The Fort Industrial Park,
Dunlop Way, Birmingham B35 7AR

Tel: 0121 749 3699

Fax: 0121 748 2677

e-mail: sales@fortdoors.co.uk

web: fortdoors.co.uk

Fort Doors reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication, errors and omissions excepted. Colour samples are, due to the print process, intended as a guide only, please request a sample if unsure. January 2024