



www.ryterna.eu



INDUSTRIAL DOORS

Types: TLP, TL-FV, TLT




sectional door solutions



CFC free
poliurethane

Type TLP

Insulated industrial doors




TLP industrial door of 40 mm thick, sandwich type insulated panels. Standard panel heights are 500 and 610 mm. Ribbed or wavy panel profile. Sections of this type can be used in the door up to 50 square meters. TLP door includes heavy duty tracks and door hardware. Torsion springs may be designed for 20 000, 50 000 or 100 000 cycles.




TLP industrial door is CE marked and meets the newest EN requirements. Tested and certified by "SP Provning Forskning" labs in Sweden.


Ordering measures



Lifting types

Wide range of track systems makes Ryterna industrial door fit in buildings with all kinds of headroom sizes and configurations.

 *Custom track systems available on request.



Windows


3 types of windows (round, oval and rectangular), or Full Vision panel may be installed into TLP door.

Pass doors

Standard pass door size is H 2000 mm x W 800 mm.

Side doors

Made to size to fit your sectional door.

 Nonstandard window or pass door spacing solutions available under request.






STD - standard lift

STD RM

LHR FM - low headroom lift

double tracks, front mounted springs







TL-Full View

Glazed Aluminum doors



Sections

TL-FV door panels - anodized aluminum frames glazed with double acrylic glass, may be finished in different RAL colours. White, sandwich type bottom panel is standard for TL-Full View doors.







LHR RM - low headroom lift double tracks, rear mounted springs


HL - high lift

VL - vertical lift

VL - vertical lift, low mounted springs



TLP door texture and colours




Ribbed panel surface has standard "Stucco" pattern




Macrorib standard colour 9006

Standard colours (ribbed panels only)

 RAL 9001	 RAL 9002	 RAL 9006	 RAL 9016
 RAL 3000	 RAL 5010	 RAL 6005	 RAL 6009
 RAL 7016	 RAL 8017	 RAL 9005	

 Others panel surfaces are available upon request.

 Painted RAL colours are available upon request



TLP door accessories



Standard

Handle



Slide bolt



Spring failure safety device (included)



Options

Keyed Lock



Cable brake safety device



Ventilation grid



Door Operation Accessories

Chain Hoist



Electrical operator



Traffic lights

